



HP Color LaserJet Managed MFP E877 Core Printer (5QK20A)



Overview

Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers[2] you'll stay secure and simplify fleet management for busy IT pros.

Customizable solutions built to last.

Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.

Unleash peak productivity.

Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.

Always on guard with HP Wolf Security.

[4]

With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.

Better printing, for a better planet.

The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.[9]

[2] HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

[4] HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.

[9] 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.

Specifications

Print Resolution Technologies	Fine lines (1200x1200dpi); Normal (600x600dpi); Quick view (300x300dpi)
Print speed black (ISO, A4)	Up to 40 ppm; Up to 50 ppm (with 8EP60AAE); Up to 60 ppm (with 8EP61AAE); Up to 70 ppm (with 8EP62AAE)
Print speed black (ISO, letter)	Up to 40 ppm; Up to 50 ppm (with 8EP60AAE); Up to 60 ppm (with 8EP61AAE); Up to 70 ppm (with 8EP62AAE)
Print Speed Color (ISO)	Up to 40 ppm; Up to 50 ppm (with 8EP60AAE); Up to 60 ppm (with 8EP61AAE); Up to 70 ppm (with 8EP62AAE)
Print speed color (ISO)	Up to 40 ppm; Up to 50 ppm (with 8EP60AAE); Up to 60 ppm (with 8EP61AAE); Up to 70 ppm (with 8EP62AAE)
Print speed	Print speed up to 40 ppm; Print speed up to 50 ppm (with 8EP60AAE); Print speed up to 60 ppm (with 8EP61AAE); Print speed up to 70 ppm (with 8EP62AAE)
Functions	Print, copy, scan, fax (optional)
Duplex printing	Automatic
Duty cycle (monthly, A4)	Up to 180,000 pages; Up to 200,000 pages (with 8EP60AAE); Up to 250,000 pages (with 8EP61AAE); Up to 300,000 pages (with 8EP62AAE)
Duty cycle (monthly, letter)	Up to 180,000 pages; Up to 200,000 pages (with 8EP60AAE); Up to 250,000 pages (with 8EP61AAE); Up to 300,000 pages (with 8EP62AAE)
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Copier smart software features	(Flow model only) Optimized text/picture (auto); auto tone; multi-feed detection; document editing; auto paper color removal
Scanner advanced features	(Flow model only) embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps
Energy savings feature technology	Power save
Replacement cartridges	HP Black Managed LJ Toner Cartridge (ISO Yield 25,000) W9160MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 22,500) W9161MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 22,500) W9162MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 22,500) W9163MC, HP Black Managed LJ Toner Cartridge (ISO Yield 50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC ^[1]
Connectivity, standard	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)
Connectivity, optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Network capabilities	Standard (built-in GIGABIT 10/100/1000T Ethernet)
Wireless capability	Optional, enabled with purchase of a hardware accessory

Mobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print
Network protocols, supported	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), AirPrint, SNMPv1/v2c/v3, HTTP, HTTPS, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, LLNMR, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; HP Web Services
Software included	No software solutions are included in the Box only on http://hp.com and http://123.hp.com
Compatible Operating Systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Technical features	ADF; Automatic two-sided printing; Color Touchscreen with Apps; ENERGY STAR®; Ethernet; Scan-to-cloud; Scan-to-email; Scan-to-folder
Sustainable impact specifications	Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Recyclable through HP Planet Partners; Compatible with Accessibility Accessories; Contains at least 10% post-consumer recycled plastic
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Blue Angel compliant	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Copy speed (black, normal quality, A4)	Up to 40cpm; Up to 50cpm (with 8EP60AAE); Up to 60cpm (with 8EP61AAE); Up to 70cpm (with 8EP62AAE)
Copy speed (color, normal quality, A4)	Up to 40 cpm; Up to 50 cpm (with 8EP60AAE); Up to 60 cpm (with 8EP61AAE); Up to 70 cpm (with 8EP62AAE)
Copy speed black (normal, letter)	Up to 40 cpm; Up to 50 cpm (with 8EP60AAE); Up to 60 cpm (with 8EP61AAE); Up to 70 cpm (with 8EP62AAE)
Copy speed color (normal, letter)	Up to 40 cpm; Up to 50 cpm (with 8EP60AAE); Up to 60 cpm (with 8EP61AAE); Up to 70 cpm (with 8EP62AAE)
Copy speed black duplex (A4)	Up to 40 cpm; Up to 50 cpm (with 8EP60AAE); Up to 60 cpm (with 8EP61AAE); Up to 70 cpm (with 8EP62AAE)
Copy speed black duplex (Letter)	Up to 40 cpm; Up to 50 cpm (with 8EP60AAE); Up to 60 cpm (with 8EP61AAE); Up to 70 cpm (with 8EP62AAE)
Digital sending standard features	Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten; (Flow model only) embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps
Fax Resolution Black (best)	Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)
Faxing	Optional
Scan speed (normal, A4)	5QK38A: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color); 5QK39A : Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color)

Scan speed (normal, letter)	5QK38A: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color); 5QK39A : Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color)
Scan file format	PDF, Hi-Compression PDF, PDF/A, JPEG, TIFF, MTIFF, XPS; Flow model only : Searchable PDF (OCR), Searchable PDF/A (OCR), TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), HTML (OCR), CSV (OCR) ^[6]
Scan input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications
Scan technology	Platen Scanner CCD Digital-CIS
Scanner type	Flatbed, ADF
Display area (imperial)	5QK41A: 6.38 x 4.79 in, 5QK42A: 8.54 x 5.34 in
Display area (metric)	5QK41A: 16.2 x 12.15 cm, 5QK42A: 21.7 x 13.56 cm
Display	5QK41A: 8-in (20.3 cm) touchscreen, WXGA Color Graphic Display (CGD), 5QK42A: 10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Minimum dimensions (W x D x H)	585 x 694.7 x 907.7 mm - 638.8 x 745.9 x 933.9 mm <i>([8] Dimension and weight vary by Flex Build configuration)</i>
Minimum dimensions (W x D x H)	23 x 27.4 x 35.7 in - 25.2 x 29.4 x 36.8 in <i>([8] Dimension and weight vary by Flex Build configuration)</i>
Weight	99.8 kg - 104.6 kg ^[8] <i>([8] Dimension and weight vary by Flex Build configuration)</i>
Weight	220.1 lb - 230.6 lb <i>([8] Dimension and weight vary by Flex Build configuration)</i>
Power consumption	820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Power supply type	Internal (Built-in) power supply
What's in the box	In box materials ; Guide install, Flyer Regulatory, Power Cords, Label, Drums.
Manufacturer Warranty	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.

Additional specifications

ADF Capacity	200 or 300
Accessories	HP LaserJet Inner Finisher 2/3 Hole Punch 155P7A, HP LaserJet Inner Finisher 2/4 Hole Punch 155P8A, HP LaserJet Inner Finisher Swedish Hole Punch 155P9A, HP LaserJet 2x520 sheet Department Paper Tray/Stand 6GW47A, HP LaserJet Inner Finisher 6GW49A, HP LaserJet Department Job Separator 6GW50A, HP LaserJet Booklet Finisher 6GW51A, HP LaserJet Department Stand 6GW53A, HP LaserJet Stapler/Stacker Finisher 6GW55A, HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand 6GW56A, HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand 6GW57A, HP LaserJet Hole Punch 2/3 Accessory Y1G10A, HP LaserJet Hole Punch 2/4 Accessory Y1G11A, HP LaserJet Hole Punch Swedish Accessory Y1G12A, HP LaserJet Paper Tray Heaters Accessory Y1G22A, HP Accessibility Assistant 2MU47A, HP Removable Hard Drive Enclosure 2NR12A, HP Accessibility Kit 2TD64A, HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, HP Legic Reader 4QL32A, HP Internal USB Expansion Kit 4XN67A, HP MFP 810 Analog Dual Fax 5QK14A, HP LaserJet Workflow Accelerator Card 6HN30A (Flow model only), HP 500GB CCC, FIPS, TAA Hard Disk Drive 6HN31A, HP MFP 811 Analog Dual Fax 7ZA07A, HP MFP 800 Analog Single Fax 7ZA08A, HP MFP 801 Analog Single Fax 7ZA09A, HP Jetdirect LAN Accessory 8FP31A, HP 500GB CCC, FIPS Hard Disk Drive 9EQ11A, HP Foreign Interface Harness B5L31A, HP SmartCard NIPRNet Solution for US Government CC543B, HP SmartCard SIPRNet Solution for US Government F8B30A, HP USB Universal Card Reader X3D03A, HP HIP2 Keystroke Reader Y7C05A, HP SIM for HID iClass for HIP2 Reader Y7C07A
Acoustic power emissions (active scan)	6.80 Bel(A), ADF scan A4 at 90ipm; 7.25 Bel(A), ADF scan A4 at 150ipm
Acoustic power emissions (active, printing)	6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm
Acoustic power emissions (ready)	Inaudible
Acoustic power note	Acoustic values are subject to change. For current information see http://www.hp.com/support
Acoustic pressure emissions bystander (active scan)	54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm
Acoustic pressure emissions bystander (active, printing)	52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 70ppm
Acoustic pressure emissions bystander (ready)	Inaudible
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	hp.com
Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 200 sheets or 300 sheets
Automatic paper sensor	No

Bit depth	24-bit
Bottom margin (A4)	4.23 mm
Business filter	cMPS
Cable included	No, please purchase USB cable separately (EMEA, APJ, AMS) (Service Technician must install units)
Cartons per layer	1
Certifications and compliances	UL/cUL (US/Canada), ACA (Australia), TUV and GS Mark (Germany), Department of Industrial Standards of Cambodia, Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan), Certificate for China Compulsory Product Certification - CCC (China), Bureau of Indian Standards - BIS Registration (India), PSB Singapore, Eastern European country approvals, CE Marking and other Safety & EMC certification approvals as required by individual countries.
Color scanning	Yes
Compatible Network Operating Systems	Windows 8; Linux; Citrix; Novell
Component type	Printer
Configurable items	155P7A HP LaserJet Inner Finisher 2/3 Hole Punch (not configurable to 70PPM); 155P8A HP LaserJet Inner Finisher 2/4 Hole Punch (not configurable to 70PPM); 155P9A HP LaserJet Inner Finisher Swedish Hole Punch (not configurable to 70PPM); 6GW47A HP LaserJet 2x520 sheet Department Paper Tray/Stand; 6GW49A HP LaserJet Inner Finisher (not configurable to 70PPM); 6GW50A HP LaserJet Department Job Separator; 6GW51A HP LaserJet Booklet Finisher; 6GW53A HP LaserJet Department Stand; 6GW55A HP LaserJet Stapler/Stacker Finisher; 6GW56A HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand; 6GW57A HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand; Y1G10A HP LaserJet Hole Punch 2/3 Accessory; Y1G11A HP LaserJet Hole Punch 2/4 Accessory; Y1G12A HP LaserJet Hole Punch Swedish Accessory; Y1G22A HP LaserJet Paper Tray Heaters Accessory; 2MU47A HP Accessibility Assistant; 2NR12A HP Removable Hard Drive Enclosure; 2TD64A HP Accessibility Kit; 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory; 4QL32A HP Legic Reader; 4XN67A HP Internal USB Expansion Kit; 5QK14A HP MFP 810 Analog Dual Fax; 6HN30A HP LaserJet Workflow Accelerator Card (Flow model only); 6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive; 7ZA07A HP MFP 811 Analog Dual Fax; 7ZA08A HP MFP 800 Analog Single Fax; 7ZA09A HP MFP 801 Analog Single Fax; 8FP31A HP Jetdirect LAN Accessory; 9EQ11A FIPS Hard Disk Drive; B5L31A HP Foreign Interface Harness; CC543B HP SmartCard NIPRNet Solution for US Government; F8B30A HP SmartCard SIPRNet Solution for US Government; X3D03A HP USB Universal Card Reader; Y7C05A HP HIP2 Keystroke Reader; Y7C07A HP SIM for HID iClass for HIP2 Reader
Control panel	5QK41A: 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker, 5QK42A: 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Copier scaling (ADF)	25 to 200%

Copier settings	Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage; (Flow model only) optimized text/picture (auto); automatic tone; multi-feed detection; document editing; auto paper color removal
Copies, maximum	Up to 9999 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black text)	Up to 600 x 600 dpi
Copy resolution (color text and graphics)	Up to 600 x 600 dpi
Copy speed color duplex (A4)	Up to 40 cpm; Up to 50 cpm (with 8EP60AAE); Up to 60 cpm (with 8EP61AAE); Up to 70 cpm (with 8EP62AAE)
Copy speed color duplex (Letter)	Up to 40 cpm; Up to 50 cpm (with 8EP60AAE); Up to 60 cpm (with 8EP61AAE); Up to 70 cpm (with 8EP62AAE)
Copy speed note	First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and document.
Count of layers in pallet	1
Country of origin	Made in China(All countries of APJ),Made in China(All countries of EMEA),Made in Mexico(All countries of AMS)
Datasheet photo 1	Publication photos/877-core-sn.jpg
Datasheet photo 4	Publication photos/877-core.jpg
Distinctive ring detection supported	No

Downloadable software

From <http://123.hp.com> - HP Easy Start (Guided Software Install for Windows and Mac), From <http://hp.com> for Windows OS - Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From <http://hp.com> for Mac OS-, HP Mac OS Print Driver, HP Easy Admin, For Mobile OS-, iOS For more information see <http://hp.com/go/businessmobileprinting>, Android For more information see <http://hp.com/go/businessmobileprinting>, From <http://hp.com> for printer administrators-, Printer Administrator Resource Kit (Driver Configuration, Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows For more information on the supported operating systems go to <http://support.hp.com>, SAP Print Drivers for more information see <http://support.hp.com/us-en/document/c05051702>, HP Web JetAdmin, HPLIP Linux, Printer Driver for more information see <http://hplipopensource.com/hplip-web/index.html>, Unix Model Script Printer Driver for more information see <http://hp.com/go/unixmodelscripts>, For more information on the supported operating systems go to <http://support.hp.com>, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, Supported Operating systems, For more information on the supported operating systems also see www.hp.com/go/upd, HP PrintScanDr, HP WebJetAdmin + Workpath, HP Command Center, Chrome Extension, Android Plug-in

Driver updates

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to <http://www.hp.com/support/> (country/region may need to be selected), Select "Support", Select "Software and Drivers", Select "Printer", Enter a product name/number, (The operating system is automatically detected), Select a driver or other software, Select "Download" for the software desired

Duplex ADF scanning

Yes, single pass duplex scanning

Electromagnetic compatibility

CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032: 2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 55024: 2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries

Engine life

3600000

Enhanced scanning resolution

Up to 600 x 600 dpi

Envelope Feeder

No

FCC Class A emissions

FCC Class A emissions - for use in commercial environments, not residential environments

Fax Auto Redial

Yes

Fax Broadcast Locations

210

Fax PC Interface Supported

Yes

Fax Polling

Yes (poll to receive only)

Fax Remote Retrieval

No

Fax Speed Dials, Maximum Number

Up to 1000 numbers (each with 210 destinations)

Fax Transmission Speed

33.6 kbps

Fax delayed sending	No
Fax forwarding	Yes
Fax memory	Up to 500 pages
Fax memory	Up to 500 pages
Fax phone TAM interface supported	No
Fax resolution black	Up to 203 x 196 dpi
Fax telephone mode supported	No
Fax transmission speed (letter)	3 sec per page
File Format Supported	Hi-Compression PDF; MTIFF; TIFF; PDF; PDF/A; XPS; JPEG; CSV (OCR); HTML (OCR); RTF (OCR); Searchable PDF (OCR); Searchable PDF/A (OCR); TEXT (OCR); Unicode TEXT (OCR)
Finished output handling	Stacking; stapling; booklet making; hole punching (with optional output device)
First copy out black (A4)	As fast as 4.9 sec; As fast as 4.2 sec (with 8EP60AAE); As fast as 3.8 sec (with 8EP61AAE); As fast as 3.5 sec (with 8EP62AAE)
First copy out black (A4, sleep)	As fast as 12.2 sec (15 min); As fast as 11.5 sec (15 min) (with 8EP60AAE); As fast as 11.1 sec (15 min) (with 8EP61AAE); As fast as 10.1 sec (15 min) (with 8EP62AAE)
First copy out black (letter)	As fast as 4.9 sec; As fast as 4.2 sec (with 8EP60AAE); As fast as 3.8 sec (with 8EP61AAE); As fast as 3.5 sec (with 8EP62AAE)
First copy out black (letter, sleep)	As fast as 12.2 sec (15 min); As fast as 11.5 sec (15 min) (with 8EP60AAE); As fast as 11.1 sec (15 min) (with 8EP61AAE); As fast as 10.1 sec (15 min) (with 8EP62AAE)
First copy out color (A4)	As fast as 6.5 sec; As fast as 5.6 sec (with 8EP60AAE); As fast as 4.9 sec (with 8EP61AAE); As fast as 4.3 sec (with 8EP62AAE)
First copy out color (A4, sleep)	As fast as 13.4 sec (15 min); As fast as 12.5 sec (15 min) (with 8EP60AAE); As fast as 11.8 sec (15 min) (with 8EP61AAE); As fast as 10.8 sec (15 min) (with 8EP62AAE)
First copy out color (letter)	As fast as 6.5 sec; As fast as 5.6 sec (with 8EP60AAE); As fast as 4.9 sec (with 8EP61AAE); As fast as 4.3 sec (with 8EP62AAE)
First copy out color (letter, sleep)	As fast as 13.4 sec (15 min); As fast as 12.5 sec (15 min) (with 8EP60AAE); As fast as 11.8 sec (15 min) (with 8EP61AAE); As fast as 10.8 sec (15 min) (with 8EP62AAE)
First page out black (A4, ready)	As fast as 7.1 sec; As fast as 6.5 sec (with 8EP60AAE); As fast as 6.3 sec (with 8EP61AAE); As fast as 6.2 sec (with 8EP62AAE)
First page out black (A4, sleep)	As fast as 14.5 sec; As fast as 13.6 sec (with 8EP60AAE); As fast as 13.0 sec (15 min) (with 8EP61AAE); As fast as 12.9 sec (with 8EP62AAE)
First page out black (letter, ready)	As fast as 7.1 sec; As fast as 6.5 sec (with 8EP60AAE); As fast as 6.3 sec (with 8EP61AAE); As fast as 6.2 sec (with 8EP62AAE)
First page out black (letter, sleep)	As fast as 14.5 sec; As fast as 13.6 sec (with 8EP60AAE); As fast as 13.0 sec (15 min) (with 8EP61AAE); As fast as 12.9 sec (with 8EP62AAE)
First page out color (A4, ready)	As fast as 8.3 sec; As fast as 7.4 sec (with 8EP60AAE); As fast as 7.0 sec (with 8EP61AAE); As fast as 6.9 sec (with 8EP62AAE)

First page out color (A4, sleep)	As fast as 14.7sec; As fast as 13.8sec (with 8EP60AAE); As fast as 13.1sec (15 min) (with 8EP61AAE); As fast as 13.1sec (with 8EP62AAE)
First page out color (letter, ready)	As fast as 8.3 sec; As fast as 7.4 sec (with 8EP60AAE); As fast as 7.0 sec (with 8EP61AAE); As fast as 6.9 sec (with 8EP62AAE)
First page out color (letter, sleep)	As fast as 14.7sec; As fast as 13.8sec (with 8EP60AAE); As fast as 13.1sec (15 min) (with 8EP61AAE); As fast as 13.1sec (with 8EP62AAE)
First page out footnote	[4] Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Fonts and typefaces	84 scalable TrueType fonts
Input capacity	Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets)
Internal Storage	Optional, HP LaserJet 500GB SED Hard Disk Drive or 256GB Solid State Drive.
Junk fax barrier	Yes
Left margin (A4)	4.23 mm
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 50 envelopes
Maximum Memory	6GB
Maximum dimensions (W x D x H)	65.2 x 50 x 58.6 in - 65.2 x 51.2 x 59.2 in
Maximum dimensions (W x D x H)	1656.7 x 1269 x 1488.5 mm - 1656.7 x 1301 x 1503.9 mm
Maximum input capacity (sheets)	Up to 6,140 sheets
Maximum metric depth	850
Maximum metric height	925
Maximum metric width	755
Maximum output capacity (sheets)	Up to 3250 sheets(with stapler-stacker)
Maximum print area	311.5 x 448.7 mm
Media size (ADF)	Legal; Oficio; Executive; Statement; Ledger; A3; A4; A4R; A5; A6; B4; B5; B6; 16K; Dpostcard (JIS)
Media size, tray 1	A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL
Media size, tray 2	A4, A5, A5R, A6, B6 (JIS), 10x15cm, Envelope C5, Envelope C6, Envelope DL
Media size, tray 3	A3, A4, A4R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Statement, 4 x 6, 5 x 7, 5 x 8, envelope #9, Envelope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k

Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k, Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, A6, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media sizes supported, key	4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes
Media sizes supported, key	A4; A3; Envelopes; 10 x 15 cm
Media sizes, custom	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm
Media sizes, custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in
Media type and capacity, ADF	200 sheets or 300 sheets
Media type and capacity, tray 1	Sheets: 100; transparencies: 20; envelopes: 10
Media type and capacity, tray 2	Sheets: 520; transparencies: 100; envelopes: 40
Media type and capacity, tray 3	Sheets: 520; transparencies: 100
Media types	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight (tray 1)	60 to 325 g/m ²
Media weight (tray 2)	60 to 325 g/m ²
Media weight (tray 3)	60 to 325 g/m ²
Media weight, supported	Tray 1, 2, 3: 60 to 325 g/m ²
Media weight, supported	Tray 1, 2, 3: 16 to 86.5 lb bond
Media weights, supported ADF	45 to 199 g/m ² or 45 to 255 g/m ²
Media weights, supported ADF	12 to 53 lb or 12 to 68 lb
Memory	6GB
Metric depth	850
Metric height	925
Metric width	755
Minimum System Requirements	2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com
Minimum System Requirements for Macintosh	2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Native scan file format	JPG; MTIFF; TIFF; PDF
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Number of users	Over 25 Users

Operating humidity range	20 to 80% RH
Operating temperature range	15 to 30°C
Operating temperature range	59 to 86°F
Orderable supplies	HP LaserJet Black Managed Toner Cartridge W9160MC, HP LaserJet Cyan Managed Toner Cartridge W9161MC, HP LaserJet Yellow Managed Toner Cartridge W9162MC, HP LaserJet Magenta Managed Toner Cartridge W9163MC, HP LaserJet Black Managed Toner Cartridge W9170MC, HP LaserJet Cyan Managed Toner Cartridge W9171MC, HP LaserJet Yellow Managed Toner Cartridge W9172MC, HP LaserJet Magenta Managed Toner Cartridge W9173MC, HP LaserJet Black Managed Imaging Drum W9077MC, HP LaserJet CYM Managed Imaging Drum W9078MC, HP LaserJet Toner Collection Unit 6SB85A, HP LaserJet Black Developer Unit 5PN72A, HP LaserJet Yellow Developer Unit 5PN73A, HP LaserJet Magenta Developer Unit 5PN74A, HP LaserJet Cyan Developer Unit 5PN75A, HP LaserJet Fuser 100V Kit 5PN53A, HP LaserJet Fuser 110V Kit 5PN76A, HP LaserJet Fuser 220V Kit 5PN77A, HP LaserJet Image Transfer Kit 5PN78A, HP LaserJet Image Transfer Blade Kit 5PN79A, HP LaserJet Transfer Roller Kit 5PN80A, HP LaserJet Trays 2-x Roller Kit 5PN66A, HP LaserJet Flow MP Roller Kit 5RC03A, HP LaserJet ADF Maintenance Kit 5RC00A(for Flow model), HP 300 ADF Roller Replacement Kit J8J95A(for dn model), HP LaserJet Inner,Booklet Staples Y1G13A, HP LaserJet Stapler/Stacker Finisher Staples Y1G14A
Output capacity	Up to 500 sheets
Package dimensions (W x D x H)	29.7 x 33.5 x 36.4 in
Package dimensions (W x D x H)	755 x 850 x 925 mm
Package weight	98.34 kg
Package weight	216.81 lb
Pallet dimensions	29.7 x 33.5 x 36.4 in
Pallet dimensions (W x D x H)	755 x 850 x 925 mm
Pallet weight	216.81 lb
Pallet weight	98.34 kg
Paper handling input, optional	Optional 1,040 sheet tray, optional 2,000 sheet tray, optional 3,000 sheet tray
Paper handling input, standard	100-sheet multi-purpose tray, 2 x 520-sheet input tray
Paper handling output, optional	Job Separator, Inner Finisher, Stapler-stacker, Booklet maker, 2/3 hole punch, 2/4 hole punch, Swedish hole punch
Paper handling output, standard	500 sheet face-down output bin
Paper trays, maximum	6
Paper trays, standard	3
Power	Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier)
Print Technology	Laser
Print colors	Yes

Print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible
Print quality black (normal)	Up to 600 x 600 dpi
Print resolution black (fine lines)	Up to 1200 x 1200 dpi
Print resolution color (fine lines)	Up to 1200 x 1200 dpi
Print resolution color (normal)	Up to 600 x 600 dpi
Print speed black (normal, A3)	Up to 21 ppm; Up to 26 ppm (with 8EP60AAE); Up to 30 ppm (with 8EP61AAE); Up to 35 ppm (with 8EP62AAE)
Print speed black (normal, tabloid)	Up to 21 ppm; Up to 26 ppm (with 8EP60AAE); Up to 30 ppm (with 8EP61AAE); Up to 35 ppm (with 8EP62AAE)
Print speed color (normal, A3)	Up to 21 ppm; Up to 26 ppm (with 8EP60AAE); Up to 30 ppm (with 8EP61AAE); Up to 35 ppm (with 8EP62AAE)
Print speed color (normal, tabloid)	Up to 21 ppm; Up to 26 ppm (with 8EP60AAE); Up to 30 ppm (with 8EP61AAE); Up to 35 ppm (with 8EP62AAE)
Print speed duplex (A3)	Up to 21 ipm; Up to 26 ipm (with 8EP60AAE); Up to 30 ipm (with 8EP61AAE); Up to 35 ipm (with 8EP62AAE)
Print speed duplex (A3)	Up to 21 ipm; Up to 26 ipm (with 8EP60AAE); Up to 30 ipm (with 8EP61AAE); Up to 35 ipm (with 8EP62AAE)
Print speed duplex (A4)	Up to 40 ipm; Up to 50 ipm (with 8EP60AAE); Up to 60 ipm (with 8EP61AAE); Up to 70 ipm (with 8EP62AAE)
Print speed duplex (A4)	Up to 40 ipm; Up to 50 ipm (with 8EP60AAE); Up to 60 ipm (with 8EP61AAE); Up to 70 ipm (with 8EP62AAE)
Print speed duplex (letter)	Up to 40 ipm; Up to 50 ipm (with 8EP60AAE); Up to 60 ipm (with 8EP61AAE); Up to 70 ipm (with 8EP62AAE)
Print speed duplex (letter)	Up to 40 ipm; Up to 50 ipm (with 8EP60AAE); Up to 60 ipm (with 8EP61AAE); Up to 70 ipm (with 8EP62AAE)
Print speed duplex (tabloid)	Up to 21 ipm; Up to 26 ipm (with 8EP60AAE); Up to 30 ipm (with 8EP61AAE); Up to 35 ipm (with 8EP62AAE)
Print speed duplex (tabloid)	Up to 21 ipm; Up to 26 ipm (with 8EP60AAE); Up to 30 ipm (with 8EP61AAE); Up to 35 ipm (with 8EP62AAE)
Print speed footnote (A3/Tabloid)	[2] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Print technology	Laser
Printer Management	HP Web JetAdmin Software, HP Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver ,Deployment Utility - Managed Printing Administrator)
Printer black pages (MPV black)	2745
Printer color pages (MPV color)	1830
Processor speed	Quad Core (1.6GHz), Dual Core (1.4GHz); SSD(766R7A): Optional, HP LaserJet 512 GB SED-TAA Solid State Drive

Product long name specifications	HP Color LaserJet Managed MFP E877 Core Printer
Product short name specifications	HP Color LaserJet Managed MFP E877 Core Printer, Business, Print, copy, scan, fax (optional), Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security
Quantity per pallet	1
RMN number	SEOLA-1904-02
Recommended media weight (duplex)	16 to 79.5 lb
Recommended media weight (duplex)	60 to 300 g/m ²
Recommended monthly page volume	Up to 60,000
Recommended operating humidity range	20 to 80% RH
Recommended operating temperature range	59 to 86°F
Recommended operating temperature range	15 to 30°C
Replacement cartridges footnote	[1] Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies .
Resolution	600 dpi
Resolution (black and white, standard mode)	203 x 98 dpi
Resolution (black and white, superfine mode)	Up to 300 x 300 dpi
Resolution (black photo grayscale)	300 x 300 dpi (400 x 400 dpi for received faxes only)
Right margin (A4)	4.23 mm
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013; IEC 62368-1:2018; EN 62368-1:2020+A11:2020 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; EN 62471:2008 / IEC 62471:2006; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2014-10; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007 Other safety approvals as required by individual countries
Scan file format footnote	[6] For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)
Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 x 600 dpi
Scan size (ADF), maximum	297 x 420 mm
Scan size (ADF), maximum	11 x 17 in

Scan size (ADF), minimum	2.7 x 5 in
Scan size (ADF), minimum	68 x 127 mm
Scan size, maximum	297 x 432 mm
Scan size, maximum	11.69 x 17 in
Scan speed duplex (normal, A4)	5QK38A : Up to 180 ipm (b&w), up to 180 ipm (color) 5QK39A : Up to 300 ipm (b&w), up to 300 ipm (color)
Scan speed duplex (normal, letter)	5QK38A : Up to 180 ipm (b&w), up to 180 ipm (color) 5QK39A : Up to 300 ipm (b&w), up to 300 ipm (color)
Scan speed footnote	[5] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Segment (filter)	Business
Services	5QK41A HP LaserJet 8.0 in (20.3cm) Touchscreen; 5QK42A HP LaserJet 10.1 in (25.6cm) Touchscreen
Services	Same as E877 (Check E877 datasheet for more details)
Services	Same as E877 (Check E877 datasheet for more details)
Services	7G7Z9A HP LaserJet Department High Capacity Paper Tray/Stand Atmosphere Blue Color Panel;190A5A HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel;190D5A HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel;190F5A HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel;190C5A HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel;190B5A HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel
Services	5QK45A HP LaserJet 500GB SED Hard Disk Drive; 733M6A HP LaserJet 256GB SED Solid State Drive
Services	7G7Z8A HP LaserJet Department 2x520 sheet Paper Tray/Stand Atmosphere Blue Color Panel;190A4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel;190D4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel;190F4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel;190C4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel;190B4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel

Services	7G7Z6A HP Color LaserJet Department Atmosphere Blue Color Panel;190A2A HP Color LaserJet Department Lunar Gray Color Panel;190D2A HP Color LaserJet Department Constellation Yellow Color Panel;190F2A HP Color LaserJet Department Aurora Purple Color Panel;190C2A HP Color LaserJet Department Cosmic Green Color Panel;190B2A HP Color LaserJet Department Comet Red Color Panel
Services	7G7Z3A HP LaserJet 2x520sh Dept PaperTray/Stand-No color panel; 7G7Z4A HP LaserJet Department Stand-No color panel; 7G7Z5A HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand-No color panel
Services	Same as E877 (Check E877 datasheet for more details)
Services	7G800A HP LaserJet Department Stand Atmosphere Blue Color Panel;190A8A HP LaserJet Department Stand Lunar Gray Color Panel;190D8A HP LaserJet Department Stand Constellation Yellow Color Panel;190F8A HP LaserJet Department Stand Aurora Purple Color Panel;190C8A HP LaserJet Department Stand Cosmic Green Color Panel;190B8A HP LaserJet Department Stand Comet Red Color Panel
Services	5QK38A HP Laserjet 180ipm 200 sheet DADF high speed Scanner; 5QK39A HP LaserJet 300ipm 300 sheet Flow DADF high speed Scanner (Keyboard included)
Services	Same as E877 (Check E877 datasheet for more details)
Services	Same as E877 (Check E877 datasheet for more details)
Services description headline 01	Scanner
Services description headline 02	Color panel for core engine & ISA unit
Services description headline 03	Mass Storage
Services description headline 04	Paper input accessory without panel
Services description headline 05	Color panel for engine
Services description headline 06	Color panel for high capacity paper tray
Services description headline 07	Color panel for 2x520sh paper tray
Services description headline 08	Color panel for stand
Services description headline 09	Accessory
Services description headline 10	Speed license
Services description headline 11	Supplies
Services description headline 12	Service
Services description headline 13	Solution
Software scan file format	For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)
Standard media sizes (duplex)	A3; A4; A5; 8K; SRA3; A4R; A5R; RA3; RA4; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio (216 x 340 mm); B4; B5; SRA4; B4 (JIS); B5 (JIS)
Standard media sizes (duplex, imperial)	Letter; Letter-R; Legal; Executive; Statement; 11x17; 16k; 8K; Tabloid Extra; Oficio (8.5 x 13 in)
Standard output capacity (envelopes)	Up to 40 envelopes

Standard output capacity (transparencies)	Up to 100 sheets
Storage temperature range	-10 to 40°C
Storage temperature range	14 to 104°F
Target user and print volume	For teams up to 30 users; Prints up to 60,000 pages/month
Tariff numbers	8443310000
Technology logo 1	Publication logos/AMS_EnergyStar.jpg
Technology logo 2	Publication logos/AMS_windows_10.jpg
Technology logo 3	Publication logos/AMS_AirPrint.jpg
Technology logo 4	Publication logos/AMS_Mopria.jpg
Technology logo 5	Publication logos/EPEAT_Gold.jpg
Technology logo 6	Publication logos/AMS_mac_hires.jpg
Telecom compliance (fax capability)	Optional telecom kit (BOSIB-1814-00 / BOISB-1814-01); TIA-968-B-3; FCC Part 68 (USA); IC CS-03 Part I Issue 9, Amendment 5, March 2016 (CANADA); ETSI ES 203 021-1 V2.1.1; ETSI ES 203 021-2 V2.1.2; ETSI ES 203 021-3 V2.1.2 (EU); TE-001 Issue 5 (South Africa); AS/CA S002"2010 (Australia); PTC 200:2006 (New Zealand), Other Telecom approvals as required by individual countries
Telephone handset supported	No
Top key features	Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security
Top margin (A4)	4.23 mm
Tray capacity	6140
Twain version	Version 2.4
Typical electricity consumption (TEC) number	0.569 kWh/Week (40ppm, Blue Angel), 0.702 kWh/Week (50ppm, Blue Angel); 0.867 kWh/Week (60ppm, Blue Angel); 1.041 kWh/Week (70ppm, Blue Angel); 0.578 kWh/Week (40ppm, Energy Star 3.0), 0.702 kWh/Week (50ppm, Energy Star 3.0), 0.869 kWh/Week (60ppm, Energy Star 3.0), 1.042 kWh/Week (70ppm, Energy Star 3.0)
UNSPSC code	43212110
UPC number	(BBU) 196548772797; (BGJ) 194441613049
Warm-up time	5QK45A(HDD),5QK44A(eMMC): 100 sec; 733M6A(SSD): 83 Sec

Warranty

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Web address for additional information

<http://www8.hp.com/us/en/printers/a3-multifunction.html>

[1] Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see <http://www.hp.com/go/learnaboutsupplies>.

[6] For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)

[8] Dimension and weight vary by Flex Build configuration

Disclaimer — Copyright

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Oct 31, 2023 5:19 PM UTC+0000